



# Plate Heat Exchanger NO.8834

Flow Chart




Technical Parameters

Model	Specification	Area	Diameter
BR-0.06		1m <sup>2</sup> -4m <sup>2</sup>	Φ32-DN25
BR-0.13		3m <sup>2</sup> -15m <sup>2</sup>	Φ38-DN50
BR-0.22		6m <sup>2</sup> -30m <sup>2</sup>	Φ51-DN80
BR-0.3		10m <sup>2</sup> -40m <sup>2</sup>	Φ51-DN100
BR-0.35		15m <sup>2</sup> -40m <sup>2</sup>	Φ50-DN65
BR-0.5		20m <sup>2</sup> -60m <sup>2</sup>	Φ51-DN150

## Specifications and Model Description

B R - 0.3 - 1.0 - 15 - N - II



# Micron Filter And Mesh Table

mesh	μm	mesh	μm
2	8000	100	150
3	6700	115	125
4	4750	120	120
5	4000	125	115
6	3350	130	113
7	2800	140	109
8	2360	150	106
10	1700	160	96
12	1400	170	90
14	1180	175	86
16	1000	180	80
18	880	200	75
20	830	230	62
24	700	240	61
28	600	250	58
30	550	270	53
32	500	300	48
35	425	325	45
40	380	400	38
42	355	500	25
45	325	600	23
48	300	800	18
50	270	1000	13
60	250	1340	10
65	230	2000	6.5
70	212	5000	2.6
80	180	8000	1.6
90	160	10000	1.3